IMPORTANT SAFETY INSTRUCTIONS

Please read below safety instructions carefully before installation and operation:

- 1. Please pay attention to all the warnings and hints on this device.
- 2. Do not expose this unit to rain, moisture and liquid.
- 2. Do not expose this unit to rain, moisture and liquid
- 3. Do not put any stuff into the device.
 4. Do not repaire the device or open the enclosure without professional person
- guidance to avoid electronic shock.
- 5. Make sure good ventilation openings to avoid product overheating damage.
- 6. Shut off power and make sure environment is safe before installation.
- Use DC12V only. Make sure the specification matched if using 3rd party DC adapters.


Introduction

1×8 HDMI splitter distributes 1 HDMI source to 8 HDMI displays simultaneously. Apply for STB, DVD, Media Player, Laptop, D-VHS and other HD-Player devices. It's Compatible with HDMI 3D and 4K×2K.

Features:

- 1. Distribute 1 HDMI source to 8 HDMI displays
- 2. Support ultra HD resolution 4K×2K@60Hz
- 3. Support HDMI 3D 4. Support YUV 4:4:4
- 5. Support HDR
- 6. HDMI 2.0 and HDCP2.2 compliant
- 7. Low power consumption
- 8. Support EDID passthrough, downscaling
- 9. Plug and play


Package Contents




• Installation Requirement

- 1. Source: HDMI video source, such as DVD, PS3, STB, PC, Etc.
- 2. Display: HDTV, projector or other display with HDMI port
- $3. \ \ HDMI \ cable: HDMI2.0 \ standard \ cable \ (can \ support \ 4Kx2K@60Hz)$


Panel Description





Installation and Connection

1. Connection



2. Connection instruction

- 1) Connect the HDMI video source output port to the splitter input port by HDMI cable
- 2) Connect the splitter output port to HDMI display by HDMI cable
- 3) Power on the splitter(Power indicator led will light on)

FAQ

Q:No image output

- A:1) Check the power supply of splitter, make sure the power light is on.
- 2) Check if the HDMI cables connected firmly.

please change the source device.

- 3) Check and make sure the TV has been set up to the right channel
- 4) While connect with PC or notebook via HDMI, please make sure the output mode is mirror or extend.
- Q:6.2 Display is unstable, splash screen, snowflakes or audio stuck.
- A:1) Check and make sure all connections are good and correct.
- 2) Try to directly connect HDMI source to display, if it is the same,
- 3) Use high-quality HDMI 1.4 cable for transmitting 4K×2K UHD signal.
- Q: Display can not output 4K×2K UHD image when all connections
- are correct?
 A: 1) Check and make sure the input sources are 4K×2K@60Hz UHD
- signal.
- 2) Check and make sure the TV is support 4K×2K@60Hz resolution.
- 3) Check if the HDMI cables are compliant HDMI2.0 standard.
- Q: Display can not output HDR effect image when all connections are correct?
- A: 1) Check and make sure the input sources are support HDR effect.
 - 2) Check and make sure the TV is support HDR effect image.

Specification

| Items | Specifications |
|----------------------|---------------------------------|
| Input ports | 1 x HDMI |
| Output ports | 8 x HDMI |
| Power indicator led | 1 xLED |
| Signal indicator led | 8 xLED |
| HDMI Version | Compatible with HDMI1.4,HDMI2.0 |

| HDCP Version | Compatible with HDCP1.4,HDCP2.2 |
|---------------------------------|--|
| HDMI Resolution | 480i/480p/576i/576p/720p/1080i/1080p/ 4K×2K@24/25/30/60Hz |
| Frequency Range | 25MHz~600MHz |
| Video form | Support 3D video and 4K×2K@30/60Hz ultra HD video |
| Input and output TMDS signal | 0.7~1.5Vp-p(TMDS) |
| Input and output DDC signal | 5Vp-p(TTL) |
| Audio | Support standard audio and DSD (Direct Stream Digital) and HD(HBR) audio |
| HDR | Support |
| Working temperature | 0°C ~60°C |
| Power supply | 12V/1A |
| Power consumption | <8W |
| Dimension | 262mm(L)x81.6mm(W)x23.5mm(H) |
| Weight | 453g |
| Color | Black |

Disclaimer

The product name and brand name may be registered trademark of related manufactures. ™ and ® may be omitted on the user manual. The pictures in this user manual are just for reference. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. We reserve the rights to make changes without further notice to a product or system described herein to improve reliability, function or design.

1×8 HDMI Splitter

User manual

4K X 2K UHD

HDR

